ELSEVIER

Journal of Affective Disorders 56 (1999) 253–254

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 56)

No. 1 – November 1999

Research Reports

Adjunctive antipsychotic use in bipolar patients: an open 6-month prospective study following an acute episode
J.C. Soares, M. Barwell, A.G. Mallinger, D.J. Kupfer, E. Frank (USA) 1

Correlates of suicidal ideation among an elderly depressed sample
T.R. Lynch, C.S. Johnson, T. Mendelson, C.J. Robins, K.R.R. Krishnan, D.G. Blazer (USA) 9

Delineating psychopathologic clusters within dysthymia: a study of 512 out-patients without major depression
A. Serretti, M.C. Jori, G. Casadei, L. Ravizza, E. Smeraldi, H. Akiskal (Italy, USA) 17

Monorhinal odor identification and depression scores in patients with seasonal affective disorder
T.T. Postolache, R.L. Doty, T.A. Wehr, L.A. Jimma, L. Han, E.H. Turner, J.R. Matthews, A. Neumeister, C. No, H. Kroger, G.E. Bruder, N.E. Rosenthal (USA) 27

Prevalence and 12-month outcome of threshold and subthreshold mental disorders in primary care
S. Pini, A. Perkonnig, M. Tansella, H.-U. Wittchen (Italy, Germany) 37

New onset and remission of suicidal ideation among a depressed adult sample
T.R. Lynch, C.S. Johnson, T. Mendelson, C.J. Robins, K.R.R. Krishnan, D.G. Blazer (USA) 49

Brief Reports

Familial rates of affective and substance use disorders in patients with first-episode mania
M.P. DelBello, S.M. Strakowski, K.W. Sax, S.L. McElroy, P.E. Keck Jr, S.A. West, G.F. Kmetz (USA) 55

Is episodic obsessive compulsive disorder bipolar? a report of four cases
C.M. Swartz, W.W. Shen (USA) 61

Relationship between prior course of illness and neuropsychological functioning in patients with bipolar disorder
K.D. Denicoff, S.O. Ali, A.F. Mirsky, E.E. Smith-Jackson, G.S. Leverich, C.C. Duncan, E.G. Connell, R.M. Post (USA) 67

Correlates of suicidal ideation in dysphoric mania
J.F. Goldberg, J.L. Garno, L. Portera, A.C. Leon, J.H. Kocsis, J.E. Whiteside (USA) 75

Nos. 2,3 – December 1999

Research Reports

Anxiety disorders: a conceptual history
G. Berrios (UK) 83

IDS-C and IDS-SR: Psychometric properties in depressed in-patients
E. Corruble, J.M. Legrand, C. Duret, G. Charles, J.D. Guelfi (France, Belgium) 95

Temperament in bipolar illness: impact on prognosis
C. Henry, J. Lacoste, F. Bellivier, H. Verdoux, M.L. Bourgeois, M. Leboyer (France) 103

Efficacy and safety of tianeptine in the treatment of depressive disorders in comparison with fluoxetine
H. Lôo, J. Saiz-Ruiz, J.A. Costa e Silva, M. Ansseau, R. Herrington, A. Vaz-Serra, H. Dilling, S. de Risio (France, Spain, Brazil, Belgium, UK, Portugal, Germany, Italy) 109

Reduced tolerance and cardiovascular response to ischemic pain in minor depression
L. Piñerua-Shuhaibar, D. Prieto-Rincon, A. Ferrer, E. Bonilla, W. Maixner, H. Suarez-Roca (Venezuela, USA) 119

Gender differences in the short-term course of unipolar depression in a follow-up sample of depressed inpatients
C. Kuehner (Germany) 127

Reduced adenylyl cyclase immunolabeling and activity in postmortem temporal cortex of depressed suicide victims
J.S. Reiach, P.P. Li, J.J. Warsh, S.J. Kish, L.T. Young (Canada) 137
Temperament and character inventory dimensions as a predictor of response to antidepressant treatment in major depression
T. Sato, S. Hirano, T. Narita, K. Kusunoki, J. Kato, M. Goto, K. Sakado, T. Uehara (Japan) 149
Winter and summer outdoor light exposure in women with and without seasonal affective disorder
P. Graw, S. Recker, L. Sand, K. Kräuchi, A. Wirz-Justice (Switzerland) 159
A double-blind, randomized, placebo-controlled trial of once-daily venlafaxine extended release (XR) and fluoxetine for the treatment of depression
R.L. Rudolph, A.D. Feiger (USA) 167

Brief Reports

Retrospective controlled study of inpatient ECT: does it prevent suicide?
V. Sharma (Canada) 179
Lower serum zinc in major depression in relation to changes in serum acute phase proteins
M. Maes, N. De Vos, P. Demedts, A. Wauters, H. Neels (Belgium, Italy, USA) 185
Free thyroxine and thyroid-stimulating hormone levels in patients with seasonal affective disorder and matched controls
L. Sher, N.E. Rosenthal, T.A. Wehr (USA) 191
Sexual dysfunction before antidepressant therapy in major depression
S.H. Kennedy, S.E. Dickens, B.S. Eisfeld, R.M. Bagby (Canada) 197
Timing of movements in depressed patients and healthy controls
M.R. Lemke, N.H. Koethe, M. Schleidt (Germany) 205
Childhood trauma and depression in alcoholics: relationship to hostility
A. Roy (USA) 211

Preliminary Communications

The potential role of haloperidol in the treatment of trichotillomania
M. Van Ameringen, C. Mancini, J.M. Oakman, P. Farvolden (Canada) 215
Open trial of fluoxetine in children and adolescents with dysthymic disorder or double depression
B.D. Waslick, B.T. Walsh, L.L. Greenhill, M. Eilenberg, L. Capasso, D. Lieber (USA) 223
A double-blind study comparing idazoxan and bupropion in bipolar depressed patients
F. Grossman, W.Z. Potter, E.A. Brown, G. Maislin (USA) 233

Author Index 245
Subject Index 249
Contents (Vol. 56) 253